UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/593,494	09/20/2006	Masato Kaneeda	102147.58294US	2590
23911 CROWELL & I	7590 07/09/200 MORING LLP	EXAMINER		
INTELLECTUA	AL PROPERTY GRO	MATTHIAS, JONATHAN R		
P.O. BOX 14300 WASHINGTON, DC 20044-4300			ART UNIT	PAPER NUMBER
			3748	
			MAIL DATE	DELIVERY MODE
			07/09/2009	PAPER

# Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)			
Office Action Comments		10/593,494	KANEEDA ET AL.			
	Office Action Summary	Examiner	Art Unit			
		Jonathan Matthias	3748			
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) 又	Responsive to communication(s) filed on 23 Ma	arch 2009.				
·	This action is <b>FINAL</b> . 2b) ☐ This action is non-final.					
′=	, <del></del>					
٠,١	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
	·	pante quayre, 1000 0.21 1.1, 10	0 0.0.2.0.			
Dispositi	on of Claims					
<ul> <li>4)  Claim(s) 1-20 is/are pending in the application.</li> <li>4a) Of the above claim(s) is/are withdrawn from consideration.</li> <li>5)  Claim(s) is/are allowed.</li> <li>6)  Claim(s) 1-20 is/are rejected.</li> <li>7)  Claim(s) is/are objected to.</li> <li>8)  Claim(s) are subject to restriction and/or election requirement.</li> </ul>						
Applicati	on Papers					
9) 🗌 🤈	The specification is objected to by the Examine	r.				
10)	The drawing(s) filed on is/are:  a)☐ acce	epted or b) $\square$ objected to by the E	Examiner.			
	Applicant may not request that any objection to the o	drawing(s) be held in abeyance. See	37 CFR 1.85(a).			
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority u	ınder 35 U.S.C. § 119					
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>						
2)  Notic 3) Inforr	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date 04/27/2009.	4)  Interview Summary Paper No(s)/Mail Da 5)  Notice of Informal Pa 6)  Other:	ite			

Art Unit: 3748

#### **DETAILED ACTION**

1. The amendment filed on March 23<sup>rd</sup>, 2009 has been entered. Claims 1-20 are pending in the application.

## Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 3. Claims 1, 4-6, 10, 11, and 17 are rejected under 35 U.S.C. 102(b) as being anticipated by US Patent No. 6,145,303 to Strehlau et al. (Strehlau).
- 4. In reference to claims 1, 4, and 17, Strehlau discloses a sulfur component trapping agent (5, Fig. 21) for trapping sulfur components, which is arranged before the NOx trapping catalyst (6, Fig. 21) and a catalyst (8, Fig. 21) for oxidizing the sulfur components, disposed before the sulfur component trapping agent that contains at least one alkali or alkaline earth metal (col. 10, lines 9-22) and at least one noble metal, Pt, Pd and Rh in an amount of 0.4 % by weight or less of the sulfur trapping agent (col. 10, line 59 col. 11, line 16), wherein the sulfur component trapping agent does not substantially release the trapped sulfur components under the conditions of the internal combustion engine (col. 7, lines 24-45).
- 5. In reference to claim 5, with regards to the limitation that the sulfates contained in the sulfur component trapping agent have a melting temperature or decomposition temperature of 750 °C or higher, Strehlau discloses utilizing aluminum, magnesium,

Art Unit: 3748

calcium, and/or barium as the sulfur trapping agent (col. 10, lines 9-15), which, according to Applicant's disclosure (see Table 1), would meet the limitations of the claim.

- 6. In reference to claim 6, Strehlau discloses the sulfur component trapping agent is disposed below the engine (see Fig. 21).
- 7. In reference to claim 10, Strehlau discloses the catalyst for oxidizing sulfur components contains at least one of Pt, Pd and Rh (col. 10, line 59 col. 11, line 16).
- 8. In reference to claim 11, Strehlau discloses the NOx trapping catalyst functions to trap SOx under a lean air fuel condition and to release SOx in a rich or stoichiometric air fuel condition by heating the catalyst to 500 °C or higher (col. 8, line 56 col. 9, line 60).

## Claim Rejections - 35 USC § 103

- 9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 10. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to

Application/Control Number: 10/593,494

Art Unit: 3748

consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Page 4

- 11. Claims 2, 3, 9, 13-16 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Strehlau.
- 12. In reference to claims 2, 3, and 13, Strehlau discloses the apparatus of claim 1, further including the NOx trapping catalyst functions to trap NOx in the exhaust gas when an air fuel ratio of the exhaust gas is lean (col. 6, lines 20-34). With regards to the limitations of a test flow rate, trapping rate, and release rate, these are considered result-effective variables which are dependent on factors such as the type of fuel being used, the type and running state of the engine, and emissions regulations to be met. It has been held that where the general conditions of a claim are disclosed in the prior art, it is not inventive to discover the optimum or workable ranges by routine experimentation. Therefore, it would have been obvious to one having ordinary skill in the art at the time of invention to have optimized these variables to have the predictable result adapting the apparatus to the specific application to meet target emission standards.
- 13. In reference to claims 9 and 15, Strehlau discloses the apparatus of claim 4, further including a honeycomb substrate made of cordierite or metal, a porous support, and a sulfur trapping agent supported on the porous support (col. 11, lines 17-57). With regards to the limitation of the amount of alkali metals or alkaline earth metals, Strehlau teaches the storage components are selected depending on the temperature and storage capacity required (col. 10, lines 9-22). It would have been obvious to one

having ordinary skill in the art at the time of invention to have selected the optimum amount of the selected storage component through routine experimentation to have the predictable result of adapting the apparatus to the specific application.

- 14. In reference to claim 14, Strehlau further discloses the sulfur component trapping agent further comprises at least one element selected from the group consisting of Ce, Al, Y, La and Ni (col. 10, lines 9-22).
- 15. In reference to claim 16, under the principles of inherency, the apparatus of the modified Strehlau would necessarily perform the method claimed in its normal and usual operation and therefore meets the limitations of the claim.
- 16. In reference to claim 18, Strehlau further discloses a step for releasing the sulfur components from the NOx purifying catalyst, wherein the releasing step is carried out by changing the air fuel ratio to rich or stoichiometric and elevating temperature of the NOx purifying catalyst to 500 °C or higher (col. 8, line 56 col. 9, line 60).
- 17. Claims 7 and 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Strehlau as applied to claim 1 above, and further in view of US PGPUB No. 2005/0145827 to McCabe et al. (McCabe).
- 18. In reference to claims 7 and 8, Strehlau discloses the apparatus of claim 1, but fails to specifically disclose a filter. McCabe discloses a similar system including a filter disposed upstream of the NOx trapping catalyst, wherein the filter is provided with a catalyst for oxidizing the sulfur components and the filter is provided with the sulfur component trapping agent (pars. 0012, 0014, 0030, etc.). It would have been obvious to one having ordinary skill in the art at the time of invention to have incorporated a filter

Application/Control Number: 10/593,494

Art Unit: 3748

as taught by McCabe into the apparatus of Strehlau to have the predictable result of removing particulates from the exhaust. Furthermore, it would have been obvious to one having ordinary skill in the art at the time of invention to have incorporated both the oxidizing catalyst and sulfur component trapping agent on said filter, as taught by McCabe, to have the benefit of reducing the number of treatment elements required, predictably resulting in reduced cost.

Page 6

- 19. Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Strehlau as applied to claim 1 above, and further in view of US PGPUB No. 2003/0049191 to Twigg (Twigg).
- 20. In reference to claim 12, Strehlau discloses the apparatus of claim 1, but fails to specifically disclose the sulfur component trapping agent is replaceable with another. Twigg discloses a similar system and is brought in merely to demonstrate that it is conventional in the art to utilize replaceable sulfur trapping agents in exhaust treatment apparatuses (Fig. 1; Abstract, par. 0008, etc.). It would have been obvious to one having ordinary skill in the art at the time of invention to have incorporated a replaceable trapping agent, as suggested by Twigg, into the apparatus of Strehlau to have the predictable result of maintaining the treatment capabilities of the system over the lifetime of the system.
- 21. Claims 19 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Strehlau in view of US PGPUB No. 2003/0010020 to Taga et al. (Taga) and US Patent No. 6,263,666 to Kubo et al. (Kubo).

Application/Control Number: 10/593,494

Art Unit: 3748

22. In reference to claims 19 and 20, Strehlau discloses a NOx purification catalyst (6, Fig. 21) for trapping NOx, a sulfur component trapping agent disposed before the NOx purification catalyst for trapping sulfur components (5, Fig. 21), the sulfur trapping agent containing at least one alkali or alkaline earth metal (col. 10, lines 9-22) and at least one noble metal in an amount of 0.4 % by weight or less of the sulfur trapping agent (col. 10, line 59 – col. 11, line 16), and a sulfur component oxidizing catalyst (8, Fig. 21) disposed before the sulfur component trapping agent. Strehlau fails to specifically disclose measuring NOx purification rates, diagnosing the degradation of the sulfur component trapping agent, and a replacement indication means. Taga discloses a similar system which comprises means for diagnosing the sulfur component trapping agent for every sulfur component releasing step based on a difference or ratio of the NOx purification rates (pars. 0035-0084). It would have been obvious to one having ordinary skill in the art at the time of invention to have incorporated the diagnosis method as taught by Taga into the method of Strehlau to have the predictable result of inhibiting unnecessary sulfur purges, as taught by Taga. Kubo discloses a similar system and is brought in merely to demonstrate it is conventional in the art to include an indicating means to indicate when an aftertreatment device is degraded (col. 8, lines 62-67). It would have been obvious to one having ordinary skill in the art at the time of invention to have included the conventional warning means as suggested by Kubo into the modified Strehlau to have the predicable result of maintaining the treatment capabilities of the system over the lifetime of the system.

Page 7

Art Unit: 3748

#### Response to Arguments

23. Applicant's arguments with respect to claims 1-20 have been considered but are moot in view of the new ground(s) of rejection.

#### Conclusion

- 24. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).
- 25. A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.
- 26. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jonathan Matthias whose telephone number is (571) 270-5840. The examiner can normally be reached on Monday-Friday 8:00AM-5:00PM.
- 27. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas Denion can be reached on (571) 272-4859. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3748

28. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Thomas E. Denion/ Supervisory Patent Examiner, Art Unit 3748

JM